


Ecophon Akusto™ One Circle

THAT **Sounds Better**


Fixing
Option 1

Fixing
Option 2




Option 1

Option 2



Option 1

1. Connect One trim with
2. Connect Absorber anchor one




Option 2


3. Connect One hook fixing



Either fixing option purchased can be used with any size Akusto One SQ Squares, Rectangles or Circles.




Option 1




→ Go to page 3

Option 2



→ Go to page 6




Use gloves provided throughout when holding the tiles

Ecophon[®]
SAINT-GOBAIN
A SOUND EFFECT ON PEOPLE


www.ecophon.com

Option 1


Connect One Trim with Absorber Anchor



Centre the Connect One Trim 170mm down from the top edge of the Akusto One tile. Mark measurements as shown in 1 where the anchors will be placed.




Using a hex attachment on a drill or an allen key, screw the absorber anchor into your marked area from previous diagram 1.




3

Wall Spacers are used to keep the gap between the panel and the wall even. Press into the panel around 100mm up from the lowest point.




4

Fix One Trim to wall, 170mm below where the top of the circle is desired. Please use appropriate screw/wall fixings - not included.




Align tile on bracket

Option 2 Connect One Hook Fixing



Fix hook fixings to wall. Please use appropriate screw/wall fixings - not included. Two Connect One Hook fixings to be used for 600 and 800 circle.



Carefully push the tile onto the One Hook fixings which are now fixed to the wall. Use gloves provided to handle the tile.