


GROOVE

SCREENING ACOUSTIC SYSTEM

Office design has progressed a long way over the years with an ever increasing global trend for large open plan working environments.

There has however been many compromises that have had to be addressed with this trend such as acoustic considerations, a sense of privacy when required and a broad spectrum of general comfort within the office environment. These considerations are the catalysts behind GROOVE while still maintaining a strong design ethos of form and function.

The system is highly modular and can be assembled and configured into an array of almost endless possibilities to create inspiring geometric landscapes within an envelope with the added convenience of day two re-stacks. Essentially, this kinetic architectural system can evolve as the space it inhabits evolves.







AVAILABLE COLOURS AND SPECS



Composition: 24mm 100% polyester fibre **Recycled content:** Minimum 45% PET plastics

Recyclability: 100% recyclable

PROCUREMENT

Procured in standard kit form as listed components below.

Components: 17 vertical struts (2058mm)

14 horizontal struts (1156mm)

8 90 degree corner connectors

Coverage: Covers approx 4 sq metres

ACOUSTICS

Acoustic NRC Rating: NRC 0.75 (24mm systems) Class C

Calculated to EN ISO

11654:1997

VOC EMISSIONS

VOC concentration: Low VOC product.

Product manufactured from 100% polyester fibres and no chemicals are used in manufacture of the material.

PET MATERIAL FIRE RATINGS


24mm - EN13501-1:2007+A1:2009: B-s1, d0



INSTALLATION

We recommend all 14six8 products to be installed by a preferred installer. Preferred installers can be supplied on request.

14Six8



./wresonics

Telephone 0207 858 1030

Email

sales@resonics.co.u

Website

www.resonics.co.ul

Address

Unit A Clarson Court, 130 Gosterwood St, Deptford, London, SE8 5NY

GROOVE

SCREENING ACOUSTIC SYSTEM