



Unique, quirky and dramatic. 14six8 T-grid ceiling tiles, or drop ceiling tiles as they are also known, offer the unmistakable contradiction to the antiquated plain grid ceiling tiles available and our acoustic ceiling tiles are in PET material for excellent acoustic performance.

The majority of our standard 600mm X 600mm (actual size 598mm) tiles can be arranged in unison with one another or by simply rotating every other tile by 90 degrees which can deliver a completely different visual impression.

Each designed with 3 dimensional suspended elements, our ceiling tiles create the perfect sound trap that will not only look amazing, but will also have superior acoustic performance.












CEILING TILES DIMENSIONS



AVAILABLE COLOURS AND SPECS

PRODUCT SPECIFICATIONS

Composition: 12mm 100% Polyester Fibre **Recycled content:** Minimum 45% PET plastics

Recyclability: 100% recyclable

PROCUREMENT

These tiles are sold individually as 597mm x 597mm tiles.

ACOUSTICS

Acoustic NRC Rating: NRC 0.55 (12mm systems) Class D

Calculated to EN ISO 11654:1997

VOC EMISSIONS

VOC concentration: Low VOC product.

Product manufactured from 100% polyester fibres and no chemicals are used in manufacture of the material.

PET MATERIAL FIRE RATINGS

12mm - EN13501-1:2007+A1:2009: B-s1, d0



INSTALLATION

We recommend all 14six8 products to be installed by a preferred installer. Preferred installers can be supplied on request.

BXIS41

./wresonics

Telephone 0207 858 1030

Email

sales@resonics.co.uk

Website

www.resonics.co.uk

Address

Unit A Clarson Court, 130 Gosterwood St, Deptford, London, SE8 5NY

CEILINGTILES

T-GRID CEILING TILES