SilentRaft Fabric Wrapped Acoustic Rafts





About SilentRaft

High performing sound absorbing panels designed to control reverberation and absorb unwanted noise.

Available in custom sizes, endless fabric choices





 \sim



Product Specifications



Fire

SilentRaft core has been tested and offers Class O fire rating to BS476: Part 6. Fabric facing complies with Class 1 to BS476: Part 7. Class O fabrics can be supplied on request.



Acoustic Performance


SilentRaft 40mm | Class A | NRC 0.95 BS EN ISO 345:2003

Refer to the chosen fabric cleaning

instructions for detailed guides. Basic stains can be wiped off or removed using



Weight SilentRaft 40mm weighs 4.5kg/m2



Product Dimensions

Cleaning

upholstery cleaner.

SilentRaft is available in several sizes, multiple shapes and can be custom made as per your requirements. For custom requests, get in contact with our sales team. Our standard sizes are below. Tolerance is +/- 3mm on all sizes.

1200 x 600 x 40 (mm) 1200 x 900 x 40 (mm) 1200 x 1200 x 40 (mm) 1200 x 1500 x 40 (mm) 1200 x 1800 x 40 (mm) 1200 x 2100 x 40 (mm) 1200 x 2400 x 40 (mm) 600 x 2400 x 40 (mm) Ø 800 x 40 (mm)






 \sim



Installation

ADJUSTABLE WIRE HANGERS & SPIRAL FIXINGS

Installation for SilentRaft is quick and easy and can be completed with basic tools and appropriate fixings for your ceiling substrate. Rafts are simply suspended from wire hangers directly to the soffit or existing ceiling. Spiral hooks fit securely into the back side of the raft, and 1m adjustable wire hook fixings allow for perfect alignment.



020 3917 7057



 \sim




Installation


ADJUSTABLE WIRE HANGERS & SPIRAL FIXINGS


Step 3

Install suitable fixings into your ceiling substrate and fix the 90 degree eyelet securely into the ceiling. Allow the wire and hanger to dangle freely at its full supplied length to allow for full adjustability.

*Wires are supplied at 1m length as standard, but available in longer lengths on request.









Step 4

Lift the raft into place, and clip the wire hangers onto the spiral fixings. Adjust wires up and down to get the raft into the desired position, and level. Once happy with the postioning, excess wire can be snipped off or just tucked up out of sight.









20 3917 7057






Fabric Colours

CAMIRA SONUS

With a fibre felted finish and an appealing mélange effect, the Sonus range is the ideal accompaniment for a modern interior. An acoustically transparent fabric for use on panels, Sonus is the perfect enhancement for a range of vertical surfaces. The complementary Sonus Etch is available in two understated grey shades, bringing added depth with its subtle embossed lattice design.



FHU11 Rap

FHU14 Classical

FHU15 Lyric

Fabric Suppliers



ENDLESS FABRIC OPTIONS

Thanks to our access to various fabric suppliers, SilentWall can be wrapped in an extensive variety of stunning fabrics from brands such as Camira, Vescom and Gabriel. Whether you are matching existing decor or designing a space completely from the ground up, we can offer a suitable solution.

Most ranges of fabrics from these suppliers are suitable for use on SilentRaft. Camira Sonus and Lucia are our standard options, please contact us for more.





